

Primary Angles			Initial	Specifications		Final
				Min.	Max.	
Front	Caster	Left	7.00°	----	----	7.01°
		Right	7.12°	----	----	7.12°
	Camber	Left	-0.69°	-0.75°	0.08°	-0.74°
		Right	-0.47°	-0.75°	0.08°	-0.40°
	Toe	Left	-0.14°	0.08°	0.15°	0.12°
		Right	0.42°	0.08°	0.15°	0.12°
Total		0.28°	0.17°	0.30°	0.24°	
Rear	Camber	Left	-1.45°	-1.58°	-1.42°	-1.53°
		Right	-1.40°	-1.58°	-1.42°	-1.45°
	Toe	Left	0.25°	0.12°	0.18°	0.13°
		Right	0.49°	0.12°	0.18°	0.16°
		Total	0.74°	0.23°	0.37°	0.29°
	Thrust Angle		0.12°	-0.20°	0.20°	0.02°
Secondary Angles			Initial	Specifications		Final
				Min.	Max.	
SAI	Left		14.74°	----	----	14.74°
	Right		14.02°	----	----	14.02°
Included Angle	Left		14.05°	----	----	14.00°
	Right		13.55°	----	----	13.62°
Toe Out On Turns	Left		2.19°	1.43°	1.43°	2.19°
	Right		2.00°	1.43°	1.43°	2.00°
Maximum Turns	Left		----	40.50°	40.50°	----
	Right		----	40.50°	40.50°	----
Toe Curve Change	Left		----	----	----	----
	Right		----	----	----	----
Setback	Front		0.04"	----	----	0.11"
	Rear		-0.15"	----	----	-0.10"
Track Width Diff.			-0.06"			-0.08"
Wheel Base Diff.			0.19"			0.21"
Front Ride Height	Left		----	23.62"	24.41"	----
	Right		24.00"	23.62"	24.41"	24.00"
Rear Ride Height	Left		----	22.87"	23.66"	----
	Right		----	22.87"	23.66"	----
Frame Angle						----